



### TECHNICAL DATA SHEET

#### PRODUCT NAME EQX900

Quadriaxial fabric 0° +45° 90° -45° in “E” glass

layers	angle	fiber	Gauge	tex	areal weight	areal weight
	tolerance				gr/m <sup>2</sup>	tolerance
0°	-	Polyester yarn	E5	8,0	7	± 3 %
0°	± 2°	E glass multi-compatible	E5	1200 - 900	225	± 3 %
+45°	± 2°	E glass multi-compatible	-	300	225	± 3 %
90°	± 2°	E glass multi-compatible	-	600	225	± 3 %
-45°	± 2°	E glass multi-compatible	-	300	225	± 3 %
TOTAL gr/m <sup>2</sup>					907	± 3 %

#### Characteristics for fabric

lunghezza rotolo - standard roll length:	mtl 50 ± 1 mtl
larghezza rotolo - standard roll width:	mm 1270 ± 20 mm
peso netto rotolo - net roll weight:	Kg. 57,6 ± 3 %
tolleranza sulla grammatura – areal weight tolerance:	± 3 % ( ± 27 gr/m <sup>2</sup> )
grammatura teorica – theoretical areal weight:	gr/m <sup>2</sup> 907
identificazione rotolo - ident roll:	<b>EQX900</b>
Diametro tubo – cardboard inner core diameter :	mm 76 ( 3" )
tipo di legatura - knitting type:	tricot
filo di legatura – stitch yarn:	polyester, texturated, 8,0 tex

#### Characteristics for filament yarn

binder content:	0.50 – 0.60 % ( nominal ) *
densità volumetrica – volumetric density:	gr/cm <sup>3</sup> 2.59 – 2.62 *
resistenza a trazione – tensile strength:	Mpa 1900 – 2400 *
modulo a trazione – tensile modulus:	Gpa 69 – 76 *
allungamento a rottura – elongation at break:	3.5 - 4 % *

\* Typical values according to ASTM D-2343. All these informations can be used for material selection purposes only.

22.05.2026

TECHNICAL MANAGER  
Ing. Andrea Giovanni Fardin

NB : THIS DOCUMENT IS COMPUTER GENERATED AND IT'S VALID WITHOUT SIGNATURE



DNV TYPE APPROVED PRODUCT – Cert. No. **TAK000017Y**

#### Confidentiality Statement

The information, data, and charts embodied in this Technical Data Sheet (TDS) are strictly confidential and are supplied on the understanding that they will be held confidentially and not disclosed to third parties without the prior written consent of Angeloni Group Srl with registered office in 31010 Fregona (TV) ITALY - via Della Torre, 17 - For further info, please contact Angeloni Group Srl at [www.angelonigroup.com](http://www.angelonigroup.com) or fax no. +39 0438 58 51 72. Angeloni Group Srl is a weaver of technical textiles from continuous filaments (rovings). All information supplied by on behalf of Angeloni Group Srl in relation to its products, whether in the nature of data, recommendations or otherwise, has been given in good faith and in compliance with technical and commercial information supplied by raw materials (fibre) manufacturers. All information aforementioned are supported by its own experience and believed reliable but Angeloni Group Srl decline all responsibility in respect of the application, processing or use of the aforementioned information or any consequence thereof. The buyer undertakes all liability in respect of the application, processing or use of the aforementioned information or product, whose quality and other properties he shall verify or any consequence thereof. Angeloni Group Srl believes that it is the user that shall determine the suitability of a product for its end-use and the user that assures all liability in connection therewith.

M8-4-14\_Rev.02\_01.01.23



**ANGELONI GROUP SRL** – Via della Torre n. 17 – 31010 FREGONA (TV) ITALY