

# Material Declaration

**<Date of declaration>**

Date	2021-03-16
------	------------

**<MD ID number>**

MD-ID-No.	Acralock_SA_10_LVA_HVA_LV20_UV
-----------	--------------------------------

**<Supplier (respondent) information>**

Company name	Engineered Bonding Solutions GmbH
Division name	
Address	Gewerbeweg 16
Contact person	Christof Mayer
Telephone number	+436648368588
Fax number	-
E-mail address	office@acralock.eu
SDoC ID-No.	

**<Other information>**

Remark 1	A component in SA10-05BLK, 50 ml and 490 ml
Remark 2	
Remark 3	

**<Product information>**

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
SA10-05A		1	piece	50 ml and 490 ml ready to use cartridge

**<Material information>**

This materials information shows the amount of hazardous materials contained in 

1	Unit
---	------

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A** (materials listed in appendix 1 of the Convention)	Asbestos	0.1%*	No				
	Polychlorinated biphenyls (PCBs)	50 mg/kg	No				
	Ozon depleting substance	Chlorofluorocarbons (CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table B** (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg	No				
	Lead and lead compounds	1,000 mg/kg	No				
	Mercury and mercury compounds	1,000 mg/kg	No				
	Polybrominated biphenyl (PBBs)	50 mg/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1,000 mg/kg	No				
	Polychloronaphthalenes (Cl >= 3)	50 mg/kg	No				
	Radioactive substances	no threshold level	No				
Certain shortchain chlorinated paraffins	1%	No					
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

*Engineered Bonding Solutions GmbH*  
 Gewerbeweg 16, A-7411 Markt Allhau  
 Tel.: +43 3356 20683, Fax: +43 3356 20683-89  
 E-Mail: office@acralock.eu, www.acralock.eu  
 ATU67112304, FN 374 423y  
 16/03/2021

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).  
 \*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).  
 \*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC  
 EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28  
 \*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

# Material Declaration

**<Date of declaration>**

Date	2021-03-16
------	------------

**<MD ID number>**

MD-ID-No.	ACRALOCK_Activator_1_2_3_4_5_6_B
-----------	----------------------------------

**<Supplier (respondent) information>**

Company name	Engineered Bonding Solutions GmbH
Division name	
Address	Gewerbeweg 16
Contact person	Christof Mayer
Telephone number	+436648368588
Fax number	-
E-mail address	office@acralock.eu
SDoC ID-No.	

**<Other information>**

Remark 1	B component in SA10-05BLK, 50 ml and 490 ml
Remark 2	
Remark 3	

**<Product information>**

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
Activator 1BBLK		1	piece	50 ml and 490 ml ready to use cartridge

**<Material information>**

This materials information shows the amount of hazardous materials contained in

Unit	
	1

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
				Yes/No	Mass		Unit
Table A** <small>(materials listed in appendix 1 of the Convention)</small>	Asbestos	0.1%*	No				
	Polychlorinated biphenyls (PCBs)	50 mg/kg	No				
	Ozone depleting substance	Chlorofluorocarbons (CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table B** <small>(materials listed in appendix 2 of the Convention)</small>	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg	No				
	Lead and lead compounds	1,000 mg/kg	No				
	Mercury and mercury compounds	1,000 mg/kg	No				
	Polybrominated biphenyl (PBBs)	50 mg/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1,000 mg/kg	No				
	Polychloronaphthalenes (Cl >= 3)	50 mg/kg	No				
	Radioactive substances	no threshold level	No				
Certain shortchain chlorinated paraffins	1%	No					
Annex II*** <small>(Additional materials)</small>	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

**Engineered Bonding Solutions GmbH**  
 Gewerbeweg 16, A-7411 Markt Allhau  
 Tel.: +43 3356 20683, Fax: +43 3356 20683-89  
 E-Mail: office@acralock.eu, www.acralock.eu  
 ATUG 7112304, FN 374 423y  
*16/03/2021*

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).  
 \*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).  
 \*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC  
 EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28  
 \*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m<sup>2</sup> of the coated material.

# Material Declaration

## <Date of declaration>

Date	2021-03-16
------	------------

## <MD ID number>

MD-ID-No.	ACRALOCK_Activator_1_2_3_4_5_6_B
-----------	----------------------------------

## <Supplier (respondent) information>

Company name	Engineered Bonding Solutions GmbH
Division name	
Address	Gewerbeweg 16
Contact person	Christof Mayer
Telephone number	+436648368588
Fax number	-
E-mail address	office@acralock.eu
SDoC ID-No.	

## <Other information>

Remark 1	B component in SA10-40UVWHT, 490 ml
Remark 2	
Remark 3	

## <Product information>

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
Activator 6BWHT		1	piece	490 ml ready to use cartridge

## <Material information>

This materials information shows the amount of hazardous materials contained in

	Unit
1	

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
			Yes/No	Mass	Unit		
Table A** (materials listed in appendix 1 of the Convention)	Asbestos	0.1%*	No				
	Polychlorinated biphenyls (PCBs)	50 mg/kg	No				
	Ozon depleting substance	Chlorofluorocarbons (CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table B** (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No				
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg	No				
	Lead and lead compounds	1,000 mg/kg	No				
	Mercury and mercury compounds	1,000 mg/kg	No				
	Polybrominated biphenyl (PBBs)	50 mg/kg	No				
	Polybrominated dephenyl ethers (PBDEs)	1,000 mg/kg	No				
	Polychloronaphthalenes (Cl >= 3)	50 mg/kg	No				
	Radioactive substances	no threshold level	No				
Certain shortchain chlorinated paraffins	1%	No					
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

Engineered Bonding Solutions GmbH  
 Gewerbeweg 16 / A-7411 Markt Allhau  
 Tel.: +43 3356 20683, Fax: +43 3356 20683-89  
 E-Mail: office@acralock.eu, www.acralock.eu  
 ATU 67112304, FN 374 423y

16/03/2021

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC

EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

# Material Declaration

**<Date of declaration>**

Date	2021-03-16
------	------------

**<MD ID number>**

MD-ID-No.	Acralock_SA_10_LVA_HVA_LV20_UV
-----------	--------------------------------

**<Supplier (respondent) information>**

Company name	Engineered Bonding Solutions GmbH
Division name	
Address	Gewerbeweg 16
Contact person	Christof Mayer
Telephone number	+436648368588
Fax number	-
E-mail address	office@acralock.eu
SDoC ID-No.	

**<Other information>**

Remark 1	A component in SA10-40UVWHT, 490 ml
Remark 2	
Remark 3	

**<Product information>**

Product name	Product number	Delivered unit		Product information
		Amount	Unit	
SA10-40UVA		1	piece	490 ml ready to use cartridge

**<Material information>**

This materials information shows the amount of hazardous materials contained in

	Unit
1	

Table	Material name	Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
				Yes/No	Mass		Unit
Table A** (materials listed in appendix 1 of the Convention)	Asbestos	0.1%*	No				
	Polychlorinated biphenyls (PCBs)	50 mg/kg	No				
	Ozon depleting substance	Chlorofluorocarbons (CFCs)	no threshold level	No			
		Halons		No			
		Other fully halogenated CFCs		No			
		Carbon tetrachloride		No			
		1,1,1-Trichloroethane		No			
		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
Bromochloromethane	No						
Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No					
Table B** (materials listed in appendix 2 of the Convention)	Cadmium and cadmium compounds	100 mg/kg	No			<b>Engineered Bonding Solutions GmbH</b> Gewerbeweg 16, A-7411 Markt Allhau Tel.: +43 3356 20683, Fax: +43 3356 20683-89 E-Mail: office@acralock.eu, www.acralock.eu ATU6712304, FN 374 423y  <i>20/03/2021</i>	
	Hexavalent chromium and hexavalent chromium compounds	1,000 mg/kg	No				
	Lead and lead compounds	1,000 mg/kg	No				
	Mercury and mercury compounds	1,000 mg/kg	No				
	Polybrominated biphenyl (PBBs)	50 mg/kg	No				
	Polybrominated diphenyl ethers (PBDEs)	1,000 mg/kg	No				
	Polychloronaphthalenes (Cl >= 3)	50 mg/kg	No				
	Radioactive substances	no threshold level	No				
Certain shortchain chlorinated paraffins	1%	No					
Annex II*** (Additional materials)	Perfluorooctane sulfonic acid (PFOS)	10 mg/kg****	No				
	Brominated Flame Retardant (HBCDD)	100 mg/kg	No				

\*Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

\*\*Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45).

\*\*\*Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC

\*\*\*\*EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

\*\*\*\*\*Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m<sup>2</sup> of the coated material.